

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Vastlan™

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC
9330 ZIONSVILLE RD
INDIANAPOLIS, IN, 46268-1053
UNITED STATES

Customer Information Number : 800-992-5994

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).
800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : End use herbicide product

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4
Eye irritation : Category 2A
Skin sensitization : Sub-category 1B
Specific target organ toxicity : Category 2
- repeated exposure

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

GHS label elements

Hazard pictograms :

Signal Word : Warning

Hazard Statements : H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Triclopyr, Choline salt	1048373-85-8	54.72
Choline, hydroxide	123-41-1	>= 3 - < 10
Glycerol	56-81-5	>= 1 - < 3
Balance	Not Assigned	> 30

Actual concentration is withheld as a trade secret

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

SECTION 4. FIRST AID MEASURES

- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.
- If swallowed : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
Do not allow run-off from firefighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

Vastlan™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/31/2022	800080005428	Date of first issue: 03/31/2022

Combustion products may include and are not limited to:
 Nitrogen oxides (NO_x)
 Carbon oxides

- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
 Evacuate area.
 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
 Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
 Discharge into the environment must be avoided.
 Prevent further leakage or spillage if safe to do so.
 Prevent spreading over a wide area (e.g., by containment or oil barriers).
 Retain and dispose of contaminated wash water.
 Local authorities should be advised if significant spillages cannot be contained.
 Prevent from entering into soil, ditches, sewers, underwater.
 See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
 Recovered material should be stored in a vented container.
 The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
 Keep in suitable, closed containers for disposal.
 Wipe up with absorbent material (e.g. cloth, fleece).
 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
 See Section 13, Disposal Considerations, for additional information.

Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
 Date of first issue: 03/31/2022

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
 Do not breathe vapors/dust.
 Do not smoke.
 Handle in accordance with good industrial hygiene and safety practice.
 Avoid exposure - obtain special instructions before use.
 Smoking, eating and drinking should be prohibited in the application area.
 Do not get on skin or clothing.
 Avoid inhalation of vapor or mist.
 Do not swallow.
 Do not get in eyes.
 Avoid contact with skin and eyes.
 Take care to prevent spills, waste and minimize release to the environment.
 Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Keep in properly labeled containers.
 Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerol	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Engineering measures : Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.
 Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines.
 If there are no applicable exposure limit requirements or

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl chloride ("PVC" or "vinyl"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Use chemical goggles.

Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Color : Black

Odor : Characteristic

Odor Threshold : No data available

pH : 7.0 (68 °F / 20 °C)
Method: pH Electrode

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 212 °F / > 100 °C
Method: Pensky-Martens Closed Cup ASTM D 93, closed cup

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.235 g/cm³ (68 °F / 20 °C)
Method: Digital density meter

Solubility(ies)
Water solubility : No data available

Autoignition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : No decomposition if stored and applied as directed.
Stable under normal conditions.

Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

Conditions to avoid : None known.

Incompatible materials : None.

Hazardous decomposition products : Decomposition products depend upon temperature, air supply and the presence of other materials.
Decomposition products can include and are not limited to:
Nitrogen oxides (NO_x)
Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): 1,000 mg/kg
Method: OECD Test Guideline 423
Remarks: For similar material(s):

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.85 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: No deaths occurred at this concentration.

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: For similar material(s):

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: No deaths occurred at this concentration.

Components:

Triclopyr, Choline salt:

Acute oral toxicity : LD50 (Rat, female): 577 - 630 mg/kg
Remarks: For similar active ingredient(s).

LD50 (Rat, male): 692 - 729 mg/kg
Remarks: For similar active ingredient(s).

Acute inhalation toxicity : Remarks: Prolonged excessive exposure to dust may cause adverse effects.
Dust may cause irritation to upper respiratory tract (nose and throat).

LC50 (Rat): > 2.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: For similar active ingredient(s).

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: For similar active ingredient(s).

Choline, hydroxide:

Acute oral toxicity : Remarks: Oral LD50 has not been determined due to corrosivity.

Glycerol:

Acute oral toxicity : LD50 (Rat): > 11,500 mg/kg
Remarks: Excessive exposure may cause:
Central nervous system effects.
Observations in humans include:
Altered blood sugar levels.

Acute inhalation toxicity : LC50 (Rat): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred following exposure to a saturated atmosphere.
Assessment: The substance or mixture has no acute inhalation toxicity

Vastlan[™]

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Acute dermal toxicity : LD50 (Guinea pig): >= 56,750 mg/kg

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**Choline, hydroxide:**

Result : Corrosive

Glycerol:

Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : Eye irritation

Components:**Triclopyr, Choline salt:**

Result : Eye irritation

Choline, hydroxide:

Result : Corrosive

Glycerol:

Result : No eye irritation

Respiratory or skin sensitization**Product:**

Species : Mouse
Result : The product is a skin sensitizer, sub-category 1B.
Remarks : For similar material(s):

Components:**Triclopyr, Choline salt:**

Assessment : The product is a skin sensitizer, sub-category 1B.
Remarks : For similar active ingredient(s).
Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals.
With the dilute mix, no allergic skin reaction is expected.

Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Germ cell mutagenicity**Components:****Glycerol:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative.

Carcinogenicity**Components:****Triclopyr, Choline salt:**

Carcinogenicity - Assessment : For similar active ingredient(s), Did not cause cancer in laboratory animals.

Glycerol:

Carcinogenicity - Assessment : For the major component(s), Did not cause cancer in laboratory animals.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****Triclopyr, Choline salt:**

Reproductive toxicity - Assessment : For similar active ingredient(s), In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.
For similar active ingredient(s), Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

Glycerol:

Reproductive toxicity - Assessment : Reproductive effects seen in female animals are believed to be due to altered nutritional states resulting from extremely high doses of glycerine given in the diet. Similar effects have been seen in animals fed synthetic diets.
Did not cause birth defects or any other fetal effects in laboratory animals.

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

STOT-single exposure

Product:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:

Triclopyr, Choline salt:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Choline, hydroxide:

Assessment : May cause respiratory irritation.

Glycerol:

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT-repeated exposure

Components:

Choline, hydroxide:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Triclopyr, Choline salt:

Remarks : For similar active ingredient(s).
In animals, effects have been reported on the following organs:
Kidney.
Liver.

Choline, hydroxide:

Remarks : No relevant data found.

Glycerol:

Remarks : Excessive exposure to glycerine may cause increased fat levels in blood.

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Vastlan™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/31/2022	800080005428	Date of first issue: 03/31/2022

Components:**Triclopyr, Choline salt:**

Based on physical properties, not likely to be an aspiration hazard.

Choline, hydroxide:

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

Glycerol:

Based on physical properties, not likely to be an aspiration hazard.

SECTION 12. ECOLOGICAL INFORMATION
Ecotoxicity**Components:****Triclopyr, Choline salt:**

Toxicity to fish : Remarks: For similar active ingredient(s).
Material is slightly toxic to aquatic organisms on an acute basis (LC50/EC50 between 10 and 100 mg/L in the most sensitive species tested).

LC50 (Oncorhynchus mykiss (rainbow trout)): 117 mg/l
Exposure time: 96 h
Remarks: For similar active ingredient(s).

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 133 mg/l
aquatic invertebrates : Exposure time: 48 h
Remarks: For similar active ingredient(s).

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 87.7
plants : mg/l
End point: Biomass
Exposure time: 96 h
Remarks: For similar material(s):

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Glycerol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): >= 885 mg/l
Exposure time: 96 h
Test Type: static test
Method: Method Not Specified.

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 1,955 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: static test
Method: Method Not Specified.

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

Toxicity to algae/aquatic plants : EC50 (Other): 2,900 mg/l
End point: Growth inhibition (cell density reduction)
Exposure time: 192 h
Test Type: static test
Method: Method Not Specified.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Method: OECD 209 Test

Persistence and degradability

Components:

Triclopyr, Choline salt:

Biodegradability : Remarks: For similar active ingredient(s).
Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).

Glycerol:

Biodegradability : Result: Readily biodegradable.
Remarks: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

Biodegradation: 63 %
Exposure time: 14 d
Method: OECD Test Guideline 301C or Equivalent
Remarks: 10-day Window: Not applicable

ThOD : 1.22 kg/kg

Bioaccumulative potential

Components:

Triclopyr, Choline salt:

Partition coefficient: n-octanol/water : Remarks: For similar active ingredient(s).
Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Choline, hydroxide:

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

Glycerol:

Partition coefficient: n-octanol/water : log Pow: -1.76 (68 °F / 20 °C)
Method: Measured
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Balance:

Partition coefficient: n- : Remarks: No relevant data found.

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

octanol/water

Mobility in soil

Components:

Triclopyr, Choline salt:

Distribution among environmental compartments : Remarks: For similar active ingredient(s).
Triclopyr.
Potential for mobility in soil is very high (Koc between 0 and 50).

Choline, hydroxide:

Distribution among environmental compartments : Remarks: No relevant data found.

Glycerol:

Distribution among environmental compartments : Koc: 1
Method: Estimated.
Remarks: Potential for mobility in soil is very high (Koc between 0 and 50).
Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Balance:

Distribution among environmental compartments : Remarks: No relevant data found.

Other adverse effects

Components:

Triclopyr, Choline salt:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Choline, hydroxide:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Glycerol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is readily biodegradable and thus is not considered persistent or very persistent (P or vP).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB assessment : This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SAFETY DATA SHEET



Vastlan™

Version 1.0 Revision Date: 03/31/2022 SDS Number: 800080005428 Date of last issue: -
Date of first issue: 03/31/2022

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Glycerol 56-81-5

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 62719-687

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be fatal if swallowed.
Causes substantial but temporary eye injury
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely

SAFETY DATA SHEET



Vastlan™

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/31/2022	800080005428	Date of first issue: 03/31/2022

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/31/2022

Product code: GF-3169

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN