according to the OSHA Hazard Communication Standard



# **SECURE ACTION**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

### **SECTION 1. IDENTIFICATION**

Product name : SECURE ACTION

Design code : A22063A

Product Registration number : 100-1633

# Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

# **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Eye irritation : Category 2B

Skin sensitization : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity

- repeated exposure

Category 2 (Liver, Digestive organs)

### **GHS** label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H320 Causes eye irritation. H332 Harmful if inhaled.

H360D May damage the unborn child.

according to the OSHA Hazard Communication Standard



SECURE ACTION

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

H373 May cause damage to organs (Liver, Digestive organs)

through prolonged or repeated exposure.

**Precautionary Statements** 

# Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P363 Wash contaminated clothing before reuse.

# Storage:

P405 Store locked up.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# Other hazards

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

# Components

Chemical name	CAS-No.	Concentration (% w/w)
fluazinam	79622-59-6	40
propane-1,2-diol	57-55-6	>= 5 - < 10
2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate, ester with alpha-methyl-omegahydroxypoly(oxy-1,2-ethanediyl	119724-54-8	>= 1 - < 5
alcohols, C11-14-isoalcs., C13-rich,	78330-21-9	>= 1 - < 5

according to the OSHA Hazard Communication Standard



SECURE ACTION

SDS Number: Version **Revision Date:** Date of last issue: 04/05/2023 S00049358613 Date of first issue: 10/29/2018 0.0 01/04/2024

ethoxylated acibenzolar-S-methyl 135158-54-2 0.6

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES** 

Have the product container, label or Safety Data Sheet with General advice

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

Take off all contaminated clothing immediately. In case of skin contact

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

Most important symptoms and effects, both acute and

Nonspecific

delayed

No symptoms known or expected. May cause an allergic skin reaction.

Causes eye irritation. Harmful if inhaled.

May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

There is no specific antidote available. Notes to physician

Treat symptomatically.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

according to the OSHA Hazard Communication Standard



SECURE ACTION

Version Revision Date: SDS Number: Date of last issue: 04/05/2023 01/04/2024 S00049358613 Date of first issue: 10/29/2018 0.0

Further information Do not allow run-off from fire fighting to enter drains or water

courses.

Cool closed containers exposed to fire with water spray.

Special protective equipment

for fire-fighters

Wear full protective clothing and self-contained breathing

apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- :

tive equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

> Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Clean contaminated surface thoroughly.

Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

### **SECTION 7. HANDLING AND STORAGE**

Advice on safe handling No special protective measures against fire required.

> Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.

Conditions for safe storage No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
fluazinam	79622-59-6	TWA	0.7 mg/m3	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
acibenzolar-S-methyl	135158-54-2	TWA	0.4 mg/m3	Syngenta

**Engineering measures** THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED

FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT, FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

according to the OSHA Hazard Communication Standard



SECURE ACTION

Version Revision Date: SDS Number: Date of last issue: 04/05/2023 01/04/2024 S00049358613 Date of first issue: 10/29/2018 0.0

> Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene

advice.

# Personal protective equipment

Where concentrations are above recommended limits or are Respiratory protection

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Remarks Wear protective gloves. The choice of an appropriate glove

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Eye protection Tightly fitting safety goggles

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Skin and body protection Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate: Impervious clothing

The use of technical measures should always have priority Protective measures

over the use of personal protective equipment.

When selecting personal protective equipment, seek

appropriate professional advice.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** liquid

Color light yellow

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

Version Revision Date: SDS Number: Date of last issue: 04/05/2023 0.0 01/04/2024 S00049358613 Date of first issue: 10/29/2018

Odor : No data available

Odor Threshold : No data available

pH : 5-9

Concentration: 1 %w/v

3.7 - 5.0

Concentration: 100 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.24 - 1.28 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : > 1202 °F / > 650 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 616 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.
Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

Conditions to avoid

tions

: No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

products

# SECTION 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Ingestion Inhalation Skin contact

Eye contact

# **Acute toxicity**

Harmful if inhaled.

**Product:** 

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.02 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

No dangerous reaction known under conditions of normal use.

# **Components:**

fluazinam:

Acute oral toxicity : LD50 (Rat, female): 4,100 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 1.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

icity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l

Exposure time: 2 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate, ester with alphamethyl-omega-hydroxypoly(oxy-1,2-ethanediyl:

Acute oral toxicity : Assessment: The component/mixture is minimally toxic after

single ingestion.

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after

single ingestion.

acibenzolar-S-methyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,000 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

**Product:** 

Species : Rabbit

Result : No skin irritation

**Components:** 

fluazinam:

Species : Rat

Result : Irritating to skin.

propane-1,2-diol:

Result : No skin irritation

2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate, ester with alphamethyl-omega-hydroxypoly(oxy-1,2-ethanediyl:

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

Result : Irritating to skin.

acibenzolar-S-methyl:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

**Components:** 

fluazinam:

Species : Rabbit

Result : Risk of serious damage to eyes.

propane-1,2-diol:

Result : No eye irritation

2-propenoic acid, 2-methyl-, polymer with methyl 2-methyl-2-propenoate, ester with alphamethyl-omega-hydroxypoly(oxy-1,2-ethanediyl:

Result : Irritation to eyes, reversing within 21 days

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Result : Risk of serious damage to eyes.

acibenzolar-S-methyl:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

**Components:** 

fluazinam:

Species : Guinea pig

Result : May cause sensitization by skin contact.

propane-1,2-diol:

Result : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

acibenzolar-S-methyl:

Species : Guinea pig

Result : The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Not classified due to lack of data.

**Components:** 

fluazinam:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

propane-1,2-diol:

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

acibenzolar-S-methyl:

Germ cell mutagenicity -

Animal testing did not show any mutagenic effects.

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

fluazinam:

Carcinogenicity - Assess-

ment

No evidence of carcinogenicity in animal studies.

propane-1,2-diol:

Carcinogenicity - Assess-

nent

No evidence of carcinogenicity in animal studies.

acibenzolar-S-methyl:

Carcinogenicity - Assess- : No evidence of carcinogenicity in animal studies.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

**Components:** 

fluazinam:

Reproductive toxicity - As-

sessment

No toxicity to reproduction

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

propane-1,2-diol:

Reproductive toxicity - As-

sessment

No toxicity to reproduction, No effects on or via lactation Animal testing did not show any effects on fetal development.

acibenzolar-S-methyl:

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

STOT-single exposure

Not classified due to lack of data.

**Components:** 

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

acibenzolar-S-methyl:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, single exposure.

STOT-repeated exposure

May cause damage to organs (Liver, Digestive organs) through prolonged or repeated exposure.

**Components:** 

fluazinam:

Target Organs : Liver, Digestive organs

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

acibenzolar-S-methyl:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

**Aspiration toxicity** 

Not classified due to lack of data.

**Components:** 

propane-1,2-diol:

No aspiration toxicity classification

according to the OSHA Hazard Communication Standard



# **SECURE ACTION**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

# Components:

fluazinam:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.036 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.19 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)):

0.16 mg/l

Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.048 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.0029 mg/l

Exposure time: 34 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0125 mg/l

Exposure time: 21 d

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

(Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: ErC50 (Raphidocelis subcapitata (freshwater green alga)):

19,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l

Exposure time: 7 d

Test Type: semi-static test

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l

Exposure time: 96 h

# **Ecotoxicology Assessment**

according to the OSHA Hazard Communication Standard



SECURE ACTION

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

acibenzolar-S-methyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.88 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna Straus (Water flea)): 2.4 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.88 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 1.7 mg/l

Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.4 mg/l

End point: Growth rate Exposure time: 72 h

EC50 (Lemna gibba (gibbous duckweed)): 0.423 mg/l

End point: Frond growth Exposure time: 7 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0033 mg/l

End point: Frond growth Exposure time: 7 d

ErC50 (Skeletonema costatum (marine diatom)): 0.22 mg/l

Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.061 mg/l

End point: Growth rate Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.026 mg/l

Exposure time: 87 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna Straus (Water flea)): 0.044 mg/l

Exposure time: 22 d

Toxicity to microorganisms

EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h

# Persistence and degradability

# **Components:**

fluazinam:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Product is not persistent.

### propane-1,2-diol:

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

SDS Number: Version **Revision Date:** Date of last issue: 04/05/2023 S00049358613 Date of first issue: 10/29/2018 0.0 01/04/2024

Result: Readily biodegradable. Biodegradability

Biodegradation: 81 % Exposure time: 28 d

Method: OECD Test Guideline 301F

alcohols, C11-14-isoalcs., C13-rich, ethoxylated:

Biodegradability Result: Readily biodegradable.

acibenzolar-S-methyl:

Biodegradability Result: Not readily biodegradable.

Stability in water Degradation half life: 0.82 d

Remarks: Product is not persistent.

Bioaccumulative potential

**Components:** 

fluazinam:

Remarks: Bioaccumulates Bioaccumulation

acibenzolar-S-methyl:

Bioaccumulation Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 3.1 (77 °F / 25 °C)

Mobility in soil

**Components:** 

fluazinam:

Distribution among environ-

mental compartments

Dissipation time: 16.4 d Stability in soil

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

acibenzolar-S-methyl:

Distribution among environ-

mental compartments

Stability in soil

Remarks: Low mobility in soil.

Dissipation time: 0.27 d

Remarks: immobile

Percentage dissipation: 50 (DT50) Remarks: Product is not persistent.

Other adverse effects

Components:

fluazinam:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

acibenzolar-S-methyl:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not contaminate ponds, waterways or ditches with

chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

# **SECTION 14. TRANSPORT INFORMATION**

# International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUAZINAM, ACIBENZOLAR-S-METHYL)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(FLUAZINAM, ACIBENZOLAR-S-METHYL)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

964

Packing instruction (passen-

ger aircraft)

: 964

Environmentally hazardous

yes

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUAZINAM, ACIBENZOLAR-S-METHYL)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **Domestic regulation**

# 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if inhaled.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

Avoid breathing spray mist.

Avoid breathing vapors.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

according to the OSHA Hazard Communication Standard



# **SECURE ACTION**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **SECTION 16. OTHER INFORMATION**

### **Further information**

### NFPA 704:

# Flammability Health 2 0 Instability

Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

# Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limits

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

Syngenta / TWA : Time weighted average

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - In-

according to the OSHA Hazard Communication Standard



**SECURE ACTION** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/05/2023

 0.0
 01/04/2024
 S00049358613
 Date of first issue: 10/29/2018

ternational Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/04/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8