Safety Data Sheet



EutroSORB® WC

SECTION 1 IDENTIFICATION

Product Name: EutroSORB® WC

Product Use: Aqueous phosphorous reduction media

Supplier Identification: SePRO Corporation

11550 North Meridian Street, Suite 600

Carmel, IN 46032

Telephone 317-580-8282 / Toll Free 1-800-419-7779

Fax 317-580-8290

Monday- Friday, 8am to 5pm EST

Email www.sepro.com

EMERGENCY telephone number

(With hours of operation)

INFOTRAC 24-hour service 1-800-535-5053

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation, and packaging of this product. For application and/or use, consult the product label. The label directions supersede the text of this SDS for application and/or use.

SECTION 2 HAZARD IDENTIFICATION

GHS Classification:

Acute Oral Toxicity - Category 5

Eye Irritation – Category 2B

Skin Irritation – Category 3

Target Organ Toxicity (Repeated) - Category 2

*Note: This material is not expected to be harmful to fish or aquatic invertebrates.

GHS label elements

Hazard Pictogram:





Signal Word: Warning





Hazard statements: H303 May be harmful if swallowed.

H315 Causes skin irritations. H319 Causes serious eye irritation.

H373 May cause damage to organs (liver and spleen) through prolonged

repeated exposure.

Precautionary Statements: P264: Wash hands thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

P302+P352: IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do.Continue rinsing

P312: Call a POISON CENTER/doctor/physician if you feel unwell P332+P313: If skin irritation occurs: Get medical advice/attention P337+P313: If eye irritation persists: Get medical advice/attention P362 + P364: Take off contaminated clothing and wash before reuse

P402/P404: Store in a dry place. Store in a closed container

P501: Place contaminated materials in disposal containers and dispose of in a

manner consistent with applicable regulations

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature*: This product is a blend of aqueous phosphate binding materials.

*Ingredient names withheld as a trade secret.

SECTION 4 FIRST AID MEASURES

Eye: Eye irritation. Flush immediately with large amounts of water for at least 15 minutes.

Eyelids should be held away from the eyeball to ensure thorough rinsing. Seek immediate

medical attention if irritation persists.

Skin: Remove contaminated clothing and wash affected area(s) with soap and water. If irritation of

the skin persists, seek immediate medical attention.

Inhalation: No specific first aid measures are required. If exposed to excessive levels of material in the

air, move the exposed person to fresh air. Get medical attention if coughing or respiratory

discomfort occurs.

Ingestion: No specific first aid measures are required. If swallowed do NOT induce vomiting. As a

precaution, get medical advice.



SECTION 5 FIRE FIGHTING MEASURES

Flash Point: Not applicable Flammable Limits: Not applicable

Suitable extinguishing media: If this material is involved in a fire, use water fog, foam, dry chemical

or carbon dioxide to extinguish flames.

Unusual fire and explosion data/Specific hazards: None known.

Special protective actions for firefighters: None known. This material will not burn.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions: Prevent contact with skin or eyes. Avoid breathing vapors,

mist, or gas. Ensure adequate ventilation. Evacuate

personnel to safe areas.

Environmental precautions: Stop the source of the release if you can do it without risk.

Contain release to prevent further contamination of soil,

surface water or groundwater.

Containing environmental effects: Where feasible and appropriate, remove contaminated soil.

Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Measures when handling spilled substance: Clean up spill as soon as possible, observing precautions in

Section 8. Use appropriate techniques such as applying non-

combustible absorbent materials or pumping.

Report spills to local authorities and/or the U.S. Guard's

National Response Center at (800) 424-8802 as appropriate

or required

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling: Do not get in eyes, on skin, or on clothing. Wash thoroughly after

handling. Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water other than those being

treated.

Conditions for safe storage: Store in a closed container. Store in a cool, well-ventilated area.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Note: This material is a liquid that is not expected to form dust or volatiles

Appropriate engineering controls

Work/Hygienic practices: Consider the potential hazards of this material, applicable exposure limits, job

activities, and other substances in the workplace when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended.



Ventilation: Use in a well-ventilated area.

Other equipment: The user should read and understand all instructions and limitations supplied

with the equipment since protection is usually provided for a limited time or

under certain circumstances.

Environmental protection: Take measures to prevent material from being released to soil, water, or air.

Where feasible and appropriate, remove contaminated soil if released to ground. Place contaminated materials in disposable containers and dispose

of in a manner consistent with applicable regulations.

Individual protection measures - Personal protective equipment (PPE)

Eye/Face Protection: The use of a face shield and/or chemical goggles to safeguard against

potential eye contact, irritation, or injury is recommended.

Hands/Skin Protection: The use of gloves impermeable to the specific material handled is advised to

prevent skin contact, possible irritation, absorption, and skin damage (i.e., Nitrile gloves) – see glove manufacturer literature for permeability information. Depending on use conditions, apron, arm covers, or other impervious clothing

may be necessary.

Respiratory Protection: None required where adequate ventilation conditions exist.

Thermal Hazards: None known.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Note: The data below are typical values and do not constitute a specification.

| Appearance Physical state: | Liquid | Vapor density (Air = 1): | Not applicable |
|---------------------------------|-----------------------|--|---------------------------|
| Color: | Colorless to Amber | Specific gravity (Water = 1): | 1.28-1.63 solution @ 20°C |
| Odor/Odor threshold: | Mild | Partition Coefficient: n-octanol/water | Not applicable |
| pH: | 3.0-4.0 | Water solubility: | High |
| Freezing point: | -40°C (-40°F) | Autoignition Temperature: | Not applicable |
| Boiling point/range: | Not available | Decomposition Temperature: | Not applicable |
| Flash point: | Not applicable | Viscosity: | Not applicable |
| Evaporation rate: | Not available | Other Properties | |
| Flammability: | Non-flammable | Oxidizing properties: | Not applicable |
| Upper/lower flammability Limits | Non-flammable | Molecular W eight | Proprietary |
| Vapor pressure: | Not applicable | Bulk density: | Not available |

SECTION 10 STABILITY AND REACTIVITY

Reactivity: This material is considered stable under normal storage and handling conditions. **Chemical stability:** This material is considered stable under normal storage and handling conditions.

Possibility of hazardous reactions: See below

Incompatibility: Incompatible with oxidizing reagents, can generate hazardous chlorine gas

Hazardous decomposition products: See above.



SECTION 11 TOXICOLOGICAL INFORMATION

Likely routes of exposure: Eye and skin contact **Signs and symptoms of overexposure:** Eye and skin irritation

Acute Effects

Acute oral toxicity: Slightly toxic by this route (Category 5) – see below **Acute inhalation toxicity:** Not likely route of exposure - No information found

Acute dermal toxicity:No information foundSkin irritation:Can cause skin irritationEye irritation:Can cause eye irritationSkin sensitization:No information found

Other Health Effects

Specific target organ toxicity (repeated exposure): Chronic oral exposure to the ingredients in this product may cause toxic effects to the liver and spleen based on experimental animal data

Mutagenicity: The ingredients within this product were negative in the Ames bacterial mutagenic test using bacterial strainsTA135, TA1537, TA98, TA100, TA102, and WP2uvrA.

Carcinogenicity: Not assessed by IARC, NTP or USEPA for carcinogenicity

Medical conditions aggravated

by exposure: Preexisting diseases of the liver or spleen

Acute toxicity values: Oral LD50 (Rat) = 2800 mg/kg **Additional Information:** None - Proprietary information.

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity:

Toxicity to fish Fathead Minnow

96-hour LC50: 191 mg/L NOEC (96 hr): 125 mg/L

Rainbow Trout

96-hour LC50: 18.7 mg/L NOEC (96 hr): 5.0 mg/L

Toxicity to daphnia Ceriodaphnia dubia

48-hour LC50: 16.4 mg/L NOEC (48 hr): 7.8 mg/L

Persistence and biodegradability: This proprietary product is not expected to be readily biodegradable.

Bioaccumulation: No data available

Mobility in soil:No data availableOther ecological data:No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal methods: Use material for its intended purpose or recycle if possible. This material, if it must be

discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain



physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste federal law requires disposal at a licensed hazardous waste disposal facility. Chemical additions, processing or otherwise altering this material may make waste management information presented in the SDS incomplete.

Container: Place contaminated materials in disposal containers and dispose of in a manner

consistent with applicable regulations.

SECTION 14 TRANSPORT INFORMATION

| Agency: | Shipping Description: |
|-----------|--|
| DOT | NOT REGULATED AS A HAZARDOUS MATERIAL FOR TRANSPORTATION UNDERDOT 49 CFR |
| IMO/IMDG | NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER THE IMDGCODE |
| ICAO/IATA | NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO |

UN/NA number:
Proper shipping name:
Hazard class:
Packing group:
Environmental hazards:
Transport in bulk:
Special precautions for user:

Not classified
Not classified
Not classified
Not classified
Not classified

SECTION 15 REGULATORY INFORMATION

Chemical safety report: None available

United States Federal Regulations:

Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):

This material is not listed under CERCLA and has no reportable quantity

Clean Water Act (CWA): Not listed Clean Air Act (CAA): Not listed

Superfund Amendments and Reauthorization Act (SARA) Title III Information:

SARA 302 Components: No chemicals listed are subject to reporting requirements of S.302

SARA 313 Components: No chemicals listed exceed threshold reporting levels

SARA 311/312 Hazards: Acute Health Hazard, Chronic Health Hazard

Toxic Substances Control Act: This material is listed on the TSCA inventory



State and Other:

California: This material is not listed under Proposition 65 (CA Health & Safety Code Section 25249.5).

Massachusetts: Not listed New Jersey: Not listed IARC: Not listed NTP: Not listed

REGULATORY LISTS SEARCHED:

01-1=IARC Group 1 03=EPCRA 313 01-2A=IARC Group 2A 04=CA Proposition 65

01-2B=IARC Group 2B 05=MA RTK 02=NTP Carcinogen 06=NJ RTK

SECTION 16 OTHER INFORMATION

National Fire Protection Association (NFPA) Ratings: This information is provided solely for the use of individuals trained in the NFPA system.

Health: 1

Flammability: 0 Reactivity: 0



Acronyms and abbreviations that may have been used in this document:

| ACGIH: American Conference of Government Industrial Hygienists | LLV: Level Limit Values | |
|--|---|--|
| ADR: Accord Dangereux Routier | LOEC: Lowest Observed Effect Concentration | |
| ADNR: Regulation for the carriage of dangerous substances on the Rhine | LV: Limit Values | |
| ÁK: Average Concentration | MAC: Maximum Acceptable/Admissible Concentration | |
| CAS: Chemical Abstract Service Number | MAK: Maximale Arbeitsplatzkonzentration | |
| CAA: Clean Air Act | NOEC: No Observed Effect Concentration | |
| CMP: Concentracíon Máxima Permisible | NRC: Nuclear Regulatory Commission | |
| CWA: Clean Water Act | NTP: National Toxicology Program (US) | |
| EC: European Community | OEL: Occupational Exposure Limit | |
| EINECS: European Inventory of Existing Chemical Substances | ONU: United Nations number | |
| ELINCS: European List of Notified Chemical Substances | OSHA: Occupational Safety and Health Administration | |
| EPCRA: Emergency Planning and Community Right To Know Act | PPE: Personal Protective Equipment | |
| GHS: Global Harmonized System | RID: International rule for transport of dangerous substances by Rail | |
| IARC: International Agency for Research on Cancer | RTK: Right to Know | |
| IATA: International Air Transport Association | SARA: Superfund Amendment and Reauthorization Act | |
| GHS: Global Harmonized System | SDS: Safety Data Sheet | |
| IARC: International Agency for Research on Cancer | TGG-8hr: Tijd Gewogen Gemiddelde-8 hour | |
| IATA: International Air Transport Association | TWA: Time Weighted Average | |
| IC25: Inhibiting Concentration 25% | TWA-8hr: Time Weighted Average-8 hour | |
| ICAO: International Civil Aviation Organization (UN) | USEPA: United States Environmental Protection Agency | |
| IMO: International Maritime Organization | VLA-ED: Valor límite ambiental de exposición diaria | |
| IMDG: International Maritime Dangerous Goods | VLE: Valeur Limite d'Exposition | |
| IPRV: Ilgalaikio poveikio ribine verte | VLEP: Valeurs Limites d'Exposition Professionnelle | |
| LC50: Lethal Concentration 50% | VME: Valeur Limite de Moyenne d'Exposition Professionnelle | |
| LD50: Lethal Dose 50% | WGK: Wassergefährdungsklasse (Water Hazard Classes) | |

Version 1

Creation Date: 01/21/2022 **Revision Date:** 06/16/2022

Notice to reader: to the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier, nor any of its subsidiaries; assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein we cannot guarantee that these are the only hazards that exist.