



VAN DIEST SUPPLY COMPANY

Distributor and Manufacturer of Agricultural Chemicals

SAFETY DATA SHEET

1. IDENTIFICATION

1.1 GHS PRODUCT IDENTIFIER:	CORNBELT [®] METHYLATED SOY-STIK [®]
1.2 ALTERNATE NAME(S):	None
1.3 RECOMMENDED USE/RESTRICTIONS:	Please see the label for specific recommendations regarding this product.
1.4 CHEMICAL CLASS:	Tank mix adjuvant.
1.5 ACTIVE INGREDIENT:	A proprietary blend of nonionic surfactants and methyl soyate.
1.6 SUPPLIER'S DETAILS:	Van Diest Supply Company 1434 220th Street Post Office Box 610 Webster City, IA 50595-0610
1.7 EMERGENCY PHONE NUMBER:	FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT - CALL CHEMTREC - DAY OR NIGHT - 1-800-424-9300

2. HAZARDS IDENTIFICATION

2.1 HAZARD CLASSIFICATIONS:	Serious eye damage/eye irritation	Category 2A
	Skin corrosion/skin irritation	Category 3
	Aquatic Toxicity - Acute	Category 2

2.2 GHS LABEL ELEMENTS AND PRECAUTIONARY STATEMENTS:



WARNING

HAZARDS:

H316	Causes mild skin irritation.
H319	Causes serious eye irritation.
H401	Toxic to aquatic life.

PREVENTION:

P264	Wash hands and other potentially contaminated body parts thoroughly after handling.
P280	Wear eye protection.
P273	Avoid unintentional release to the environment.

RESPONSE:

P332+P313	IF SKIN IRRITATION OCCURS: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	IF EYE IRRITATION PERSISTS: Get medical advice.

DISPOSAL:

P501	Dispose of contents/containers in accordance with local, state, and federal requirements.
------	---

2.3 UNCLASSIFIED HAZARDS:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL	Common Name/Synonym	CAS #	% IN FORMULATION
Proprietary blend of nonionic surfactants and methyl soyate	N/A	N/A	100%

This Safety Data Sheet is not a guarantee of product specification. Specific ingredient content may be found on the product label.

4. FIRST AID MEASURES**4.1 GENERAL FIRST AID RECOMMENDATIONS ARE AS FOLLOWS:**

EYE CONTACT:	Hold eye open and rinse slowly and gently with clean water. Remove contact lenses after 5 minutes, if present, then continue rinsing eye. Seek medical advice as appropriate.
SKIN CONTACT:	Remove contaminated clothing and clean skin thoroughly with soap and water. Wash contaminated clothing before reuse.
INGESTION:	Call a poison control center, physician, or hospital immediately for treatment advice as appropriate. Identify the name of the product, the type and amount of exposure, and symptoms the patient is experiencing. Do not induce vomiting unless told to do so by a poison control center, physician, or hospital. Do not give anything by mouth to an unconscious person.
INHALATION:	Remove to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration if possible. Give nothing by mouth.

4.2 MOST IMPORTANT SYMPTOMS/EFFECTS (ACUTE AND DELAYED):

Overexposure by contact may cause mild irritation to skin and severe irritation to the eyes.

4.3 INDICATION OF NEED FOR IMMEDIATE MEDICAL ATTENTION:

If poisoning is suspected, or any symptoms are serious, immediately contact the poison control center, physician, or nearest hospital for instructions. Inform the contact of the name of the product, the type and amount of exposure, and symptoms the patient is experiencing. Seek medical advice if severe or persistent eye or skin irritation occurs.

5. FIREFIGHTING MEASURES**5.1 SUITABLE EXTINGUISHING MEDIA:**

Use any Class B fire extinguisher such as a multi-purpose dry chemical, CO₂, or foam extinguisher to extinguish a small fire in accordance with your company's established expectations.

5.2 UNSUITABLE EXTINGUISHING MEDIA:

Class A-only fire extinguishers, such as water-based extinguishers, are not ideal for small fires on this material.

5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:

No specific hazardous decomposition products have been identified. It is recommended to presume that during a fire, irritating and possibly toxic gases may be generated by partial thermal decomposition or combustion, including oxides of carbon, nitrogen, and/or sulfur, as well as smoke and fumes.

6. ACCIDENTAL RELEASE MEASURES**6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:**

Using appropriate personal protective equipment specified in Section 8 - Exposure Control/Personal Protection, absorb any spilled material and place in a container for disposal. Disposal methods should be consistent with information in Section 13 - Disposal Considerations.

6.2 ENVIRONMENTAL PRECAUTIONS:

Keep spill away from drains, sewers, and bodies of water.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANUP:

Using safe handling precautions established elsewhere in this Safety Data Sheet, attempt to control the spill at its source if safe to do so. Control the release of material to prevent contamination of soil or bodies of water. Cover spilled liquid material with a suitable absorbent and collect in a suitable container for disposal. Sweep up any spilled dry or dried material or absorbent and collect for disposal. Clean area with detergent, absorb wash water with absorbents, and collect in a suitable container for disposal.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Follow personal protective equipment recommendations as shown in Section 8 - Exposure Control/Personal Protection when handling this material (adjusted for specific handling methods and conditions), to prevent contact with this material. Wash thoroughly with soap and water after handling this material. Do not allow eating, drinking, tobacco use, and/or cosmetic application in areas where there is a potential for exposure to this material. Follow label instructions carefully.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

Store this product in a well-ventilated area in the original container. Secure material from access by children or domestic animals. Do not store this product near food, beverages, or tobacco products. Do not store with incompatible materials. Refer to Section 10 - Stability and Reactivity for incompatible materials.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

8.1 OCCUPATIONAL EXPOSURE LIMITS:

MATERIAL	CAS #	OSHA PEL	ACGIH TLV	CARCINOGEN		
				NTP	IARC	OSHA
A proprietary blend of nonionic surfactants and methyl soyate	N/A	N/A	N/A	No	No	No

8.2 ENGINEERING CONTROLS:

Maintain air concentrations below occupational exposure standards using ventilation techniques as necessary.

8.3 PERSONAL PROTECTIVE EQUIPMENT:

The following recommendations are suitable for small, incidental contact with this material. Recommendations for commercial or on-farm application of this chemical may be found on the container label.

EYE CONTACT:	If splashing can be reasonably anticipated, for instance while pouring the product into another container, wear chemical splash goggles.
SKIN CONTACT:	Where skin contact is possible, wear a suitable barrier such as chemical resistant gloves and a chemical apron. Preferred glove materials include: butyl rubber, nitrile, polyethylene, and/or PVC.
INGESTION:	Do not allow eating, drinking, tobacco use, and/or cosmetic application in areas where there is a potential for exposure to this material.
INHALATION:	Do not allow eating, drinking, tobacco use, and/or cosmetic application in areas where there is a potential for exposure to this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear, yellow liquid
ODOR:	Fatty
ODOR THRESHOLD:	ND
pH:	4.5 - 7
MELTING POINT:	ND
BOILING POINT:	ND
FLASH POINT:	>200°F (Tag CC)
EVAPORATION RATE:	ND
FLAMMABILITY:	Combustible
UPPER/LOWER EXLOSIVE LIMIT:	ND
VAPOR PRESSURE:	ND
VAPOR DENSITY:	>1
SPECIFIC GRAVITY @ 68°F:	0.91-0.98 at 68°F

ND: No Data; N/A: Not Applicable

9. PHYSICAL AND CHEMICAL PROPERTIES, continued

SOLUBILITY:	Dispersible
PARTITION COEFFICIENT (<i>n</i> -Octanol/Water):	ND
AUTO-IGNITION TEMPERATURE:	ND
DECOMPOSITION TEMPERATURE:	ND
VISCOSITY:	ND

ND: No Data; N/A: Not Applicable

10. STABILITY AND REACTIVITY**10.1 REACTIVITY:**

Nonreactive under normal conditions.

10.2 CHEMICAL STABILITY:

Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Contact with incompatible materials.

10.5 INCOMPATIBLE MATERIALS:

Strong oxidizers, strong acids, strong bases, acetaldehydes, chlorine.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition produces oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION**11.1 LIKELY ROUTES OF EXPOSURE:**

Overexposure may occur by inhalation, ingestion, and absorption.

11.2 SKIN CORROSION/IRRITATION:

This material is anticipated to be mildly irritating to the skin.

11.3 SERIOUS EYE DAMAGE/IRRITATION:

This material is anticipated to be severely irritating to the eyes.

11.4 RESPIRATORY OR SKIN SENSITIZATION:

This material is not suspected of being a sensitizer.

11.5 GERM CELL MUTAGENICITY:

This material is not suspected of being mutagenic.

11.6 CARCINOGENICITY:

This material is not suspected of being a carcinogen.

11.7 REPRODUCTIVE TOXICITY:

This material is not suspected of being a teratogen.

11.8 STOT-SINGLE EXPOSURE:

Overexposure by vapor inhalation is unlikely under normal handling conditions.

11.9 STOT-LONG TERM EXPOSURE:

This material is not linked to long-term exposure effects.

11.10 ASPIRATION HAZARD:

This product does not meet the definition of an aspiration hazard.

11. TOXICOLOGICAL INFORMATION, continued

11.11 ACUTE TOXICOLOGY:

INGESTION:	ORAL LD ₅₀
	>5,000 mg/kg
SKIN CONTACT:	DERMAL LD ₅₀
	>5,000 mg/kg
INHALATION:	INHALATION LC ₅₀ (DUST/MIST)
	ND

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY:

This product contains nonylphenyl polyethylene glycol ether, which is toxic to aquatic environments.

For nonylphenol polyethylene glycol ether:

LC ₅₀	FISH SPECIES	RESULTS
	Fathead minnow (<i>Pimephales promelas</i>)	96hr, 3.8-6.2mg/L
EC ₅₀	CRUSTACEA SPECIES	RESULTS
	Water flea (<i>Daphnia magna</i>)	48hr, 9.3-31.4 mg/L
ErC ₅₀	ALGAE SPECIES	RESULTS
	N/A	N/A

12.2 PERSISTENCE AND DEGRADABILITY:

No data.

12.3 BIOACCUMULATIVE POTENTIAL:

No data.

12.4 MOBILITY IN SOIL:

No data.

13. DISPOSAL CONSIDERATIONS

Rinse containers thoroughly three times and use rinsate according to label instructions. Dispose of product containers, waste containers, and residues according to local, state, and federal regulations. All recovered materials must be packaged, labeled, transported, and disposed or reclaimed in conformance with applicable laws in conformance with good engineering practices.

14. TRANSPORT INFORMATION

14.1 DOT PROPER SHIPPING NAME:

<119 Gallons: Not Regulated

>119 Gallons: UN3082, Environmentally hazardous substances, liquid, N.O.S. (contains nonylphenol polyethylene glycol ether)

14.2 DOT HAZARD CLASS:

9

14.3 PACKING GROUP

III

14.4 DOT LABEL

9

15. REGULATORY INFORMATION

15.1 EPCRA SARA TITLE III CLASSIFICATIONS:

SECTION 311/312 HAZARD CLASSES:

FIRE:	No
RELEASE OF PRESSURE:	No
REACTIVE:	No
IMMEDIATE (ACUTE):	Yes
DELAYED (CHRONIC):	No

15. REGULATORY INFORMATION, continued

15.1 EPCRA SARA TITLE III CLASSIFICATIONS, continued:

SECTION 313 CHEMICALS: None

15.2 CERCLA/SARA 302 REPORTABLE QUANTITY:

None

16. OTHER INFORMATION

SDS VERSION: 12/30/2022

The information and recommendations contained in this Safety Data Sheet are understood to be correct by Van Diest Supply Company. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. Information in this SDS follows different criteria from, and serves a different purpose than the product labeling.